



TETON FIRE TABLE

Rectangular Arbor Collection gas fire table, available in seven sizes from 48" to 96". Three vessel materials: mild steel, corten steel, and marine-grade aluminum. 16" vessel height. CSA-certified. Fabricated to order in Missoula, Montana.

MONTANA FIRE PITS

AMERICAN-SOURCED · MONTANA-FABRICATED

THE ARBOR COLLECTION



TETON FIRE TABLE

Hand-built rectangular gas fire table with thermally modified ash accent by Arbor Wood Co. Seven sizes from 48" to 96" long. Three vessel materials.

MODELS & DIMENSIONS

SKU	OUTSIDE DIM. (W × L)	BURN AREA	BTU	BURNER MODEL	WT. STEEL
TT48	32 × 48	32.25 × 16.25	130k / 170k	UL130 / UT170	300
TT55	32 × 55	39.25 × 16.25	150k / 230k	UL150 / UT230	345
TT60	32 × 60	44.25 × 16.25	190k / 230k	UL190 / UT230	400
TT67	32 × 67	51.25 × 16.25	210k / 290k	UL210 / UT290	450
TT76	32 × 76	60.25 × 16.25	270k / 350k	UL270 / UT350	custom
TT86	32 × 86	70.25 × 16.25	410k	UT410	custom
TT96	32 × 96	80.25 × 16.25	470k	UT470	custom

All dimensions in inches. Vessel height 16". Ledge 7.875". Vessel weights in pounds, mild steel. Sizes marked 'custom' are made-to-order configurations; contact your rep for specifications and lead time.

MATERIALS & CONSTRUCTION

<p>3/16" MILD STEEL American-sourced. Hand-welded in Missoula. Powder-coat finish in standard MFP colors.</p>	<p>10 GAUGE CORTEN STEEL Weathering steel develops a stable patina over the first 12–24 months. No coating.</p>	<p>3/16" MARINE-GRADE ALUMINUM Marine-grade aluminum. Lighter than steel. Powder-coat finish. Naturally corrosion-resistant.</p>		
<p>BURNER Warming Trends Crossfire brass burner. Solid brass. Patented jet technology.</p>	<p>IGNITION Match Lit · Push Button Battery · Mercury Battery · Carbon 3V Low Voltage · Platinum 24V Electronic</p>	<p>FINISH Powder-coat on mild steel and aluminum in standard MFP colors. Corten weathers without coating.</p>	<p>ORIGIN Designed, fabricated, and assembled in Missoula, Montana, USA. Made-to-order.</p>	<p>WOOD ACCENT Arbor Wood Co. thermally modified ash accent. Cutek Oil finish. Several wood patterns available. Metal-dominant composition.</p>

CERTIFICATION & PERFORMANCE

<p>COMPONENTS CERTIFIED Warming Trends Crossfire brass burners and gas ignition systems are certified to ANSI Z21.97 / CSA 2.41 for outdoor decorative gas appliances. The complete fire feature is fabricated in Missoula from these certified components.</p>	Fuel Inlet	3/4" I.D. Female
	Fuel Pressure — NG	7" Water Column
	Fuel Pressure — LP	11" Water Column
	Ignition Options	Match Lit (standard); Push Button Battery; Mercury Battery (burners under 250K BTU); Carbon 3V Low Voltage (battery or direct-wire, up to 360K BTU); Platinum 24V Electronic (any burner; requires 110V GFI outlet).
	Ventilation	Min. 18 sq. in. of venting on each of two opposing sides of any enclosed surround. Total min. 36 sq. in. Required for LP and NG operation.

STANDARD INCLUSIONS

- Fire table vessel — 3/16" mild steel, 10 gauge corten, or 3/16" aluminum (per order spec)
- Warming Trends Crossfire brass burner (size per matrix)
- 3/4" key valve and flex line kit
- 4" chrome key and finishing plate
- Aluminum burner plate, mounted 4" below finished top
- 4" non-marring adjustable feet for ventilation gap
- Rolled lava pebbles for burn area
- Arbor Wood Co. thermally modified ash accent panels (Cutek Oil finish, several patterns available)

OPTIONAL EXTRAS

- Full Size Aluminum Cover (matches outside dimensions; sold separately; freight applies)
- Log Sets
- Glass Flame Guards
- Propane regulator with 10 ft hose
- Casters

ORDERING

- LEAD TIME**
8–12 weeks made-to-order. Pro accounts receive priority scheduling.
- SHIPPING**
Freight via crate. Outside dimensions and weights per matrix. Trade Pro accounts: contact your rep for shipping coordination.
- CONTACT**
montanafirepits.com
sales@montanafirepits.com